

### **AMENDMENTS TO THE CLAIMS**

Please replace all previous versions of the claims with the following listing:

1. (Cancelled)
2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Cancelled)
6. (Cancelled)
7. (Currently Amended) A method of avoiding improper machine activation by machine control parameters of a multi-axis machine tool, comprising:
  - assigning a private encryption key and a private decryption key to a sender of the machine control parameters using a processor of a computer system, wherein the private encryption key is different from the private decryption key and is provided for the decoding;
  - first encoding the machine control parameters intended for the multi-axis machine tool using the processor ~~computer system~~ and the private decryption key;
  - providing the first encoded machine control parameters with a sender identification of a sender using the processor ~~computer system~~;
  - second encoding the ~~provided~~ first encoded machine control parameters using the processor ~~computer system~~ and an encryption key that is assigned to the multi-axis machine tool;
  - first decoding the second encoded machine control parameters using the processor ~~computer system~~ and a decryption key that is assigned to the multi-

axis machine tool, wherein the decryption key is different from the encryption key and is provided for the decoding;

authenticating a sender ~~by the sender's~~ based on a sender identification and a suitability of the ~~private~~ encryption key assigned to the sender for the first decoded machine control parameters using the processor; ~~computer system; and, if so,~~

if a sender is authenticated, second decoding the first decoded machine control parameters using the processor ~~computer system~~ and the ~~private~~ encryption key;

checking whether the machine control parameters were actually generated for said multi-axis machine tool using the processor; and

determining whether a module associated with a sender which generated the machine control parameters is actually suitable and authorized to do so using the processor.

8. (Cancelled)

9. (Cancelled)

10. (Previously Presented) A computer system comprising at least one data processing unit and at least one memory, wherein the data processing unit is set up in programming terms in such a way that it works on the basis of the method according to Claim 7.

11. (Cancelled)

12. (Cancelled)

13. (Cancelled)

14. (Cancelled)

15. (Cancelled)

Serial No.: 10/575,524

Final Office Action dated: March 11, 2010

Response to Final Office Action dated: July 8, 2010

16. (Cancelled)

17. (Cancelled)

18. (Cancelled)

19. (Cancelled)

20. (Cancelled)

21. (Cancelled)

22. (Cancelled)

23. (Cancelled)

24. (Cancelled)

25. (Cancelled)

26. (Cancelled)

27. (Cancelled)